Thompson, W. R. 1968. The tachinids of Trinidad, VIII, Phorocerines, Mem. Entomol. Soc. Can. 56:1–207.

Townsend, C. H. T. 1934–1942. Manual of Myiology. Pts. I–XII. Charles Townsend and Filhos, Itaquaquecetuba, Sao Paulo, Brasil.

Department of Entomology, Michigan State University, East Lansing, Michigan 48824.

NOTE

NEW SYNONYMY IN EPHYDRIDAE (DIPTERA)

Since publication of the catalogue of North American Diptera (Stone et al., 1965, USDA Agr. Hdbk. 276. 1696 pp.), several new genus-group taxa have been proposed in the family Ephydridae. We have included those Nearctic taxa we consider valid in a generic key being prepared for the forthcoming revision of Curran's Manual of Diptera. Our purpose here is to dispense with the generic and species synonymy listed below.

Philygria Stenhammar

Notiphila sectio *Philygria* Stenhammar, 1844, K. Vetensk. Akad. Handl. 1843:154. Type-species, *Notiphila flavipes* Fallén, by subsequent designation (Coquillett, 1910, Proc. U.S. Natl. Mus. 37:588).

Cressoniella Saether, 1970, Univ. Colo. Stud. Ser. Biol. 31:107 (preoccupied, Mitchell, 1934, Trans. Amer. Entomol. Soc. 59:307, Hymenoptera). Type-species, Cressoniella montana Saether (= P. debilis Loew), by monotypy. NEW SYNONYMY.

Philygria debilis Loew

Philygria debilis Loew, 1861, Berlin Entomol. Ztschr. 5:357.

Cressoniella montana Saether, 1970, Univ. Colo. Stud. Ser. Biol. 31:107. Type-loc: Colo., North Boulder Creek, northern branch. Syntypes, 3, Zool. Mus. Univ. Olso, Norway. NEW SYNONYMY.

Wirth examined the syntypes and found them to be *Philygria debilis* Loew, a species widespread in North America.

Wayne N. Mathis, Department of Entomology, Smithsonian Institution, Washington, D.C. 20560 and Willis W. Wirth, Systematic Entomology Laboratory, IIBIII, Agric. Res. Serv., c o U.S. National Museum, Washington, D.C. 20560.